

Table 1: Drillhole Summary from Crushed Leach Pad

Sample ID	From (ft)	To (ft)	Interval (ft)	Au (ppm)	Sb (ppm)
LBS26-001 0-5	0	5	5	0.34	2894
LBS26-001 5-10	5	10	5	0.42	2968
LBS26-001 10-15	10	15	5	0.36	3990
LBS26-001 15-20	15	20	5	0.35	3257
LBS26-001 20-25	20	25	5	0.49	3646
LBS26-001 25-30	25	30	5	0.39	2963
LBS26-001 30-35	30	35	5	0.50	4708
LBS26-001 35-41	35	41	6	0.44	2951

LBS26-002 0-5	0	5	5	0.47	3173
LBS26-002 5-10	5	10	5	0.40	2502
LBS26-002 10-15	10	15	5	0.37	2719
LBS26-002 15-20	15	20	5	0.41	2624
LBS26-002 20-25	20	25	5	0.37	3252
LBS26-002 25-30	25	30	5	0.43	2353
LBS26-002 30-35	30	35	5	0.58	3869
LBS26-002 35-40	35	40	5	0.45	2670
LBS26-002 40-45	40	45	5	0.41	4350

LBS26-003 0-5	0	5	5	0.48	3671
LBS26-003 5-10	5	10	5	0.41	3434
LBS26-003 10-15	10	15	5	0.45	2945
LBS26-003 15-20	15	20	5	0.46	2827
LBS26-003 20-25	20	25	5	0.79	4517
LBS26-003 25-30	25	30	5	0.64	3696
LBS26-003 30-36	30	36	6	0.59	2476

LBS26-004 0-5	0	5	5	0.30	2334
LBS26-004 5-10	5	10	5	0.49	3801
LBS26-004 10-15	10	15	5	0.32	2411
LBS26-004 15-20	15	20	5	0.42	2264
LBS26-004 20-25	20	25	5	0.53	3140
LBS26-004 25-30	25	30	5	0.69	2772
LBS26-004 30-35	30	35	5	0.47	3957
LBS26-004 35-41	35	41	6	0.57	2722

LBS26-005 0-5	0	5	5	0.47	3852
LBS26-005 5-10	5	10	5	0.37	2492
LBS26-005 10-15	10	15	5	0.38	1811
LBS26-005 15-20	15	20	5	0.33	1782
LBS26-005 20-25	20	25	5	0.28	2150
LBS26-005 25-30	25	30	5	0.35	2801
LBS26-005 30-36	30	36	6	0.33	3729

Sample ID	From (ft)	To (ft)	Interval (ft)	Au (ppm)	Sb (ppm)
LBS26-006 0-5	0	5	5	0.32	2609
LBS26-006 5-10	5	10	5	0.49	3953
LBS26-006 10-15	10	15	5	0.44	3174
LBS26-006 15-20	15	20	5	0.37	1852
LBS26-006 20-25	20	25	5	0.33	3415
LBS26-006 25-30	25	30	5	0.39	2608
LBS26-006 30-35	30	35	5	0.37	4063
LBS26-006 35-40	35	40	5	0.36	2817

**Holes LBS26-007 and LBS26-008 were not drilled as the drill program was modified in the field; hole numbering was set before the drill program*

LBS26-009 0-5	0	5	5	0.24	1614
LBS26-009 5-10	5	10	5	0.24	1924
LBS26-009 10-15	10	15	5	0.27	2525
LBS26-009 15-20	15	20	5	0.27	1636
LBS26-009 20-25	20	25	5	0.32	2640
LBS26-009 25-30	25	30	5	0.34	1858
LBS26-009 30-35	30	35	5	0.34	2803
LBS26-009 35-40	35	40	5	0.34	2735
LBS26-009 40-43	40	43	3	0.39	2478

LBS26-010 0-5	0	5	5	0.26	1583
LBS26-010 5-10	5	10	5	0.21	1281
LBS26-010 10-15	10	15	5	0.23	1987
LBS26-010 15-20	15	20	5	0.33	1738
LBS26-010 20-25	20	25	5	0.28	1888
LBS26-010 25-30	25	30	5	0.29	1570
LBS26-010 30-35	30	35	5	0.29	1584
LBS26-010 35-40	35	40	5	0.27	1518
LBS26-010 40-45	40	45	5	0.34	1699
LBS26-010 45-49	45	49	4	0.33	1554

LBS26-011 0-5	0	5	5	0.25	1550
LBS26-011 5-10	5	10	5	0.27	1518
LBS26-011 10-15	10	15	5	0.29	1961
LBS26-011 15-20	15	20	5	0.38	3287
LBS26-011 20-25	20	25	5	0.36	2715
LBS26-011 25-30	25	30	5	0.49	3746
LBS26-011 30-35	30	35	5	0.38	3110
LBS26-011 35-39	35	39	4	0.42	2620

Sample ID	From (ft)	To (ft)	Interval (ft)	Au (ppm)	Sb (ppm)
LBS26-012 0-5	0	5	5	0.26	2673
LBS26-012 5-10	5	10	5	0.32	1845
LBS26-012 10-15	10	15	5	0.29	2420
LBS26-012 15-20	15	20	5	0.46	2735
LBS26-012 20-25	20	25	5	0.41	2894
LBS26-012 25-30	25	30	5	0.56	3421
LBS26-012 30-35	30	35	5	0.63	3512
LBS26-012 35-40	35	40	5	0.62	4076
LBS26-012 40-43	40	43	3	0.61	3041

LBS26-013 0-5	0	5	5	0.26	2001
LBS26-013 5-10	5	10	5	0.32	2301
LBS26-013 10-15	10	15	5	0.26	1854
LBS26-013 15-20	15	20	5	0.25	2854
LBS26-013 20-25	20	25	5	0.65	3602
LBS26-013 25-30	25	30	5	0.64	3879
LBS26-013 30-35	30	35	5	0.73	4280
LBS26-013 35-40	35	40	5	0.60	3548
LBS26-013 40-45	40	45	5	0.69	3259
LBS26-013 45-48	45	48	3	0.63	2840

LBS26-014 0-5	0	5	5	0.26	1934
LBS26-014 5-10	5	10	5	0.31	1899
LBS26-014 10-15	10	15	5	0.33	1713
LBS26-014 15-20	15	20	5	0.44	2382
LBS26-014 20-25	20	25	5	0.38	4539
LBS26-014 25-30	25	30	5	0.38	3262
LBS26-014 30-35	30	35	5	0.30	2298
LBS26-014 35-40	35	40	5	0.40	3250
LBS26-014 40-45	40	45	5	0.56	5093
LBS26-014 45-49	45	49	4	0.55	5803

LBS26-015 0-5	0	5	5	0.25	1655
LBS26-015 5-10	5	10	5	0.29	1874
LBS26-015 10-15	10	15	5	0.36	2878
LBS26-015 15-20	15	20	5	0.41	2595
LBS26-015 20-25	20	25	5	0.45	2638
LBS26-015 25-30	25	30	5	0.49	3525
LBS26-015 30-35	30	35	5	0.41	4139
LBS26-015 35-40	35	40	5	0.26	1845
LBS26-015 40-45	40	45	5	0.24	1970
LBS26-015 45-50	45	50	5	0.36	2388
LBS26-015 50-55	50	55	5	0.60	3933
LBS26-015 55-59	55	59	4	0.82	3160

Sample ID	From (ft)	To (ft)	Interval (ft)	Au (ppm)	Sb (ppm)
LBS26-016 0-5	0	5	5	0.214	1734
LBS26-016 5-10	5	10	5	0.213	1441
LBS26-016 10-15	10	15	5	0.224	1649
LBS26-016 15-20	15	20	5	0.394	2893
LBS26-016 20-25	20	25	5	0.281	2197
LBS26-016 25-30	25	30	5	0.392	3245
LBS26-016 30-35	30	35	5	0.42	3249
LBS26-016 35-40	35	40	5	0.573	4058
LBS26-016 40-46	40	46	6	0.541	3865

LBS26-017 0-5	0	5	5	0.25	1486
LBS26-017 5-10	5	10	5	0.24	1652
LBS26-017 10-15	10	15	5	0.31	1565
LBS26-017 15-20	15	20	5	0.28	1567
LBS26-017 20-25	20	25	5	0.23	1391
LBS26-017 25-30	25	30	5	0.35	2506
LBS26-017 30-35	30	35	5	0.35	2756
LBS26-017 35-40	35	40	5	0.34	2981
LBS26-017 40-45	40	45	5	0.45	4154
LBS26-017 45-51	45	51	6	0.38	2356

LBS26-018 0-5	0	5	5	0.33	2068
LBS26-018 5-10	5	10	5	0.39	1793
LBS26-018 10-15	10	15	5	0.35	1547
LBS26-018 15-20	15	20	5	0.32	1996
LBS26-018 20-25	20	25	5	0.32	4327
LBS26-018 25-30	25	30	5	0.56	2666
LBS26-018 30-35	30	35	5	0.46	2997
LBS26-018 35-40	35	40	5	0.61	3729
LBS26-018 40-45	40	45	5	0.44	3076
LBS26-018 45-49	45	49	4	0.49	2534

LBS26-019 0-5	0	5	5	0.31	2109
LBS26-019 5-10	5	10	5	0.23	2180
LBS26-019 10-15	10	15	5	0.31	2129
LBS26-019 15-20	15	20	5	0.31	1980
LBS26-019 20-25	20	25	5	0.36	4915
LBS26-019 25-30	25	30	5	0.37	2892
LBS26-019 30-35	30	35	5	0.35	4325
LBS26-019 35-40	35	40	5	0.45	2381
LBS26-019 40-45	40	45	5	0.55	4417
LBS26-019 45-50	45	50	5	0.35	2404
LBS26-019 50-54	50	54	4	0.49	3763